


FIG.2



EVENT CONTROL PROGRAM




FIG.4

DELIVERY PRIORITY INFORMATION

	INTERNET BROWSER	E-MAIL	TUNING
1			1
2			1
3			1
9			. 1
0			1
#	2	1 .	3
 	 		! !
Δ	2	1	
\triangleright	2	1	
∇	2	1	
٥	2	1	
DECI- SION	2	1	
RETURN	2	1	
MENU			
1 1	1	! !	
POWER			
		. !	l l

RETURN COMMUNI-CATION **TRANSFER** MAIL GENERAL CLEANING CICADA CATCHING SWIMMING MEET **BON DANCE** DISPLAY ALL PEOPLE SUBJECT HI. I'M SATO. WE GIVE A BON DANCE AS FOLLWS. DATE:AUGUST 14,15 SENDER EDIT UCHIDA TAKAGI KONDO CREATE SATO SENDER E-MAIL 100

FIG.(






FIG.8

EXTERNAL VIEW OF REMOTE CONTROLLER





EVENT SPECIFYING INFORMATION

	INTERNET BROWSER
COMBINATION OF APPLICATION	E-MAIL
	TUNING


	INTERNET BROWSER	E-MAIL	TUNING
1			0
2			0
3	-		0
1	1	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	1
9			0
0			0
#		0	
-	1	-	!
Δ		0	
\triangleright		0	
∇		0	
◁		0	
DECI- SION		0	
RETURN		0	
MENU			
1			1
POWER			
-	!		

EVENT SPECIFYING INFORMATION


COMBINATION OF	INTERNET BROWSER	
APPLICATION	TUNING	

	INTERNET	
	BROWSER	TUNING
1		0
2		0
3		0
1	-	1
9	· 	0
0		0
#		0
-	1	-
Δ	0	
▷	0	
abla	0	
◁	0	
DECI- SION	0	
RETURN	0	
MENU		
	. 1	
POWER		
!	1	

EVENT CONTROL PROGRAM (CONTROLLING DELIVERY DESTINATION INFORMATION)



EVENT CONTROL PROGRAM (CONTROLLING DELIVERY DESTINATION)






FIG.15

DELIVERY PRIORITY INFORMATION

	INTERNET BROWSER	E-MAIL	TUNING
1	1		2
2	1		2
3	1		2
1 1	*	! !	1
9	1		2
0	1		2
#	2	1	3
1	-	1	1
Δ	2	1	
\triangleright	2	1	
∇	2	. 1	
. 4	2	1	·
DECI- SION	2	1	
RETURN	2	1	
MENU			
		!	! !
POWER			
I I	1	-	1 9

FIG.16


EVENT RECEPTION SPECIFYING INFORMATION

	INTERNET BROWSER	E-MAIL	TUNING
1			0
2			0
3			0
1			! !
9			0
0			0
#	0	0	
	-		
Δ.	0	0	
\triangleright	0	0	
∇	0	0	 -
◁	0	0	:
DECI- SION	0	0	
RETURN	0	0	
MENU			
1		! ! !	
POWER			
		1	

FIG.17
EVENT RECEPTION SPECIFYING INFORMATION

	INTERNET BROWSER	TUNING
1		0
2		0
3		0
	-	9 9 1
9		0
0		0
#	0,	0
	1	-
Δ	0	
\triangleright	0	
∇	0	
◁	0 -	
DECI- SION	0	.
RETURN	0	
MENU		·
	1	
POWER		
!	!	!

EVENT CONTROL PROGRAM (CONTROLLING DELIVERY DESTINATION)



EVENT CONTROL PROGRAM (DETERMINING DELIVERY DESTINATION)




FIG.20

FIG.21

EVENT RECEPTION SPECIFYING INFORMATION

	INTERNET BROWSER	TUNING
1	0	0
2	0	0
3	0	0
		1
9	0	0
0	0	0
#	0	0
Δ	0	
. 🗅	0	
∇	0	
◁	0	
DECI- SION	0	
RETURN	0	
MENU		
1		
POWER		
I	1	

DELIVERY PRIORITY INFORMATION

	INTERNET BROWSER	E-MAIL	TUNING
NUME- RAL	1		2
CUR- SOR	2	1	
	1	1	1
	1		!

FIG.23


EVENT RECEPTION SPECIFYING INFORMATION

	INTERNET BROWSER	E-MAIL	TUNING
NUME- RAL			. 0
CUR- SOR	0	0	
1 1			
	i	i i	!

FIG.24

EVENT GROUPING INFORMATION

	NUMERAL	CURSOR	
1	0		
2	0		
. 3	0		
	÷	1	
9	0		
0	0		
#	0		
\$ \$ \$	1	1	
Δ		0	
\triangleright		0	
∇		0	
△		0	
DECI- SION		0	
RETURN			
MENU			
1			
POWER			
		1	!




DELIVERY PROPERTY INFORMATION

	INTERNET BROWSER	E-MAIL	TUNING
1	-		
2			
3			
1	1	1	
9			
0		 -	
#	SHARE(OVER)	SHARE	<u> </u>
-	i. 	l	! !
- Δ	SHARE(OVER)	SHARE	16
	SHARE(OVER)	SHARE	 -
	SHARE(OVER)	SHARE	<u> </u>
◁	SHARE(OVER)	SHARE	
DECI- SION	SHARE(OVER)	SHARE	·
RETURN	SHARE(OVER)	SHARE	
MENU			
 		1	
POWER			
1	:	!	1

FIG.27

EVENT CONTROL PROGRAM



.8 : DELIVERY DESTINATION
DETERMINING INFORMATION
STORING SECTION **EVENT CONTROL DEVICE (5TH EMBODIMENT)** APPLICATION STARTUP OVERALL CONFIGURATION OF **EVENT INPUT** MEANS

INFORMATION

Ó

DELIVERY DESTINATION DETERMINING

MEANS

APn

AP2

AP1

APPLICATION

APPLICATION


APPLICATION

APPLICATION STARTUP INFORMATION

INTERNET BROWSER	E-MAIL	TUNING
0	-	0

O:ACTIVE
--:NOT ACTIVE


FIG.30



EVENT EXECUTING INFORMATION


	INTERNET BROWSER	E-MAIL	TUNING
1 .	0	0	
2	0	0	
3	0	0	
	1		
9	0	0	
0	0	0	
#		0	0
		1	! !
Δ			0
\triangleright			0
1		. - - - -	

EVENT PROCESSING PROGRAM



OVERALL CONFIGURATION OF TRANSMITTER (7TH EMBODIMENT) TRANSMITTING MEANS 200 MULTIPLEXING MEANS 2 O 4: CONTENTS INFORMATION 208 206 RECEIVABLE EVENT INFORMATION

CONTROL INFORMATION







FIG.36


DATA PACKETING



PACKETED DATA STRUCTURE

PID	CONTENTS DATA

FIG.38



NIT

TS	TRANSFER SPEC	SERVICE LIST
TS1	f 1	SV1,SV2
TS2	f 2	SV21, SV22, SV23, SV24

HTML DATA

```
<html><]head>
       <style type="text/css">
        @media:tv{
           keylist::"number.basic"
           #img1{ position:absolute;
                      left:100px;top:100px;width:200px;height:200px; }
           #text{ position:absolute:
                      left:100px;top:500px;width:200px;height:100px; }
           #button1{ position:absolute;
                      left:500px;top:500px;width:150px;height:50px;}
           #button2{ position:absolute;
                      left:500px;top:600px;width:150px;height:50px;}
510-
       </style>
       <script>
         function img1Goto()
                     location.href="http://aaa/bbb/ccc/s2.html";
         function img2Goto()
                     location.href="http://aaa/bbb/ccc/s3.html":
       </script></head>
       <body>
         <object id="img1"type="image/png"</pre>
                     src="http://aaa/bbb/ccc/why.png">
         </object>
         <object id="text"type="text/plain"</pre>
                    THIS IS TEST1
                    THIS IS TEST2
         </object>
          <input id="button1"type="image/png"</pre>
512
                     src="http://aaa/bbb/ccc/b1.png">
                     onclick="img1Goto()"
                     accesskey="1">
          </input>
          <input id="button2"type="image/png"</pre>
                     src="http://aaa/bbb/ccc/b2.png">
                     onclick="img2Goto()"
                     accesskey="2">
          </input>
       (body>
```

FIG.41






FIG.42

RECEIVABLE EVENT TABLE


1	0
2	0
3	0
 	1
9	0
0	0
#	
.1	
Δ	0
\triangleright	0
∇	.0
◁	0
DECI- SION	0
RETURN	
MENU	
 	1
POWER	
-	:


FIG.43





OVERALL CONFIGURATION OF TRANSMITTER (8TH EMBODIMENT)





```
<html><]head>
       <style type="text/css">
       keylist:"basic"
       #text{ position:absolute;
                left:300px;top:50px;width:200px;height:50px; }
        #isge{ position:absolute;
                left:500px;top:300px;width:300px;height:50px; }
         #man{ position:absolute;
                left:400px;top:600px;width:30px;height:30px; }
         #woman{ position:absolute;
                left:600px;top:600px;width:30px;height:30px; }
510
        #best{ position:absolute:
                left:400px;top:700px;width:50px;height:30px; }
        #better{ position:absolute;
                left:400px;top:800px;width:50px;height:30px; }
        #poor{ position:absolute;
                left;400px;top:900px;width:50px;height:30px; }
       </style><script>
         function funcage1(){
                thisdocument.style.keylist="number.basic";
         function funcage2(){
                thisdocument.style.keylist="basic"; }
       </script></head>
       <body>
         <object id="text"type="text/plain"</pre>
                 TV INQUIRY
         </object>
       </body>
       <form>
         AGE:
        <input id="age"type="text"onfocus="funcage1"onblur="funcage2">
        </input>
          SEX:
512-
        <input id="man"type="radio"name= "sex" value="man"> MALE </input>
        <input id="woman"type="radio"name= "sex" value="woman"> FEMALE </input>
        PROGRAM IMPRESSION: 
        <input id= "best" type= "radio"name= "prog" value= "best"> VERY INTERESTING
        </input>
        <input id= "good" type= "radio" name= "prog"value= "better"> INTERESTING
        <input id= "poor" type= "radio" name= "prog"value= "poor"> DULL
        </input>
       <form>
```

FIG.48

RECEIVABLE EVENT TABLE

1	
2	
3	
1 1 1	-
9	
0	
#	
	-
Δ	0
▷	0
∇	.0
◁	0
DECI- SION	0
RETURN	
MENU	-
-	1
POWER	
	!

	TV INQUIRY
AGE:	MALE FEMALE
PROGRAM	WAS:
	VERY INTERESTING
	O INTERESTING
	ODULL

TV INQUIRY		
SEX:	12	
PROGRAM WAS:		
	VERY INTERESTING	
	INTERESTING	
	ODULL	

FIG.51

